

## LETTER OF ENQUIRY

**Ref: TEQIP-III/2019/nits/Shopping/75**

**Date: 17-Jan-2019**

**Sub: Letter of Enquiry for supply of Goods as per GeM rate contract**

Dear Sir/ Madam,

1. With reference to DGS&D Rate Contract, our institution/ organization intends to procure following goods,

Sr. No	Item Name	Rate Contract No.	Quantity	RC Item No.	Delivery Period
1	Tables	GEM/2019/RA/3799	375	GEM/2019/RA/3799	45

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the **Technical Education Quality Improvement Programme [TEQIP]-Phase III** Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.
3. Terms & Conditions
  - a) Technical specifications as per above DGS&D RC and Annex I.
  - b) Delivery of items shall be at  
**National Institute of Technology,  
Hazratbal, Srinagar, J&K - 190006**
  - c) The delivery/ installation period of all the items shall be as specified for each item.
  - d) Sale taxes, extra as applicable.
  - e) All supplied items are under warranty of **12** months from the date of successful acceptance of items.

- f) Payment shall be made in Indian Rupees as follows:
- g) 100% payment would be payable against proof of inspection and consignee receipt certificate issued by consignee for having received in full and in good conditions and after successful demonstration and acceptance of stores.
- h) Training Clause (if any)
- i) Testing/Installation Clause (if any)
4. You are requested to convey your acceptance for supply of goods as per the terms & conditions defined above latest by **16:00** hours on **31-Jan--2019**

For  
**National Institute of  
Technology, Srinagar**

  
(Authorized Signatory)

Name & Designation

## Annexure I

Sr. No	Item Name	Specifications
1	Tables	<ul style="list-style-type: none"><li>• Storage: One side</li><li>• Keyboard tray</li><li>• Gable end and modesty panel material: Three Layer prelaminated particles board (wood product) of grade II type III of IS 12823/Latest.</li><li>• Table top Material: Three layer prelaminated particle board (Wood Product) of grade II type II of IS 12823/Latest.</li><li>• Depth of table: <math>\pm 10</math>mm 750 millimeter.</li><li>• Length of table top: <math>\pm 10</math>mm 1800 millimeter.</li><li>• Thickness of table top: <math>\pm 2</math>mm 25 millimeter.</li><li>• Dimension of leg <math>\pm 5</math>mm No legs.</li><li>• Frame type: Free standing.</li><li>• Table top long sides: To be post form half round profile</li></ul> <p>Table top plain sides: Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue.</p>